ix. Fineowner license i	Xemption .				
Supplement of The current exemption for Thomsown engage an individual for hire who does	er" was extended to include തയനുരെ കാലയൂർക്ക് not possess a license, provided that the owner	wellings of two units or less and to acts as supervisor. (State Building	allow such homeowners to Code Section 110.5)		
DEFINITION OF MOMEOWNER: Person(s) who own a parcel of land on which he/she resides or intends to reside, on which there is, or is intended to be, a one to two family dwelling, attached or detached structures accessory to such use and /or farm structures. A person who constructs more than one home in a two-year period shall not be considered a homeowner. Such "homeowner shall submit to the Building Official, on a form acceptable to the Building Official, that he/she shall be responsible for all such work performed under the building permit. (Section 110.5)					
The undersigned "homeowner assumes and will comply with the City of New Badin	esponsibility for compliance with the State Building ord Building Department minimum inspection procedu	Code and other applicable codes, ordinares and requirements.	ance, rules and regulations,		
HOMEOWNERS SIGNATURE	· ·		··.		
X. CONSTRUCTION DEBRIS	DISPOSAL				
Supplement #2 In accordance with provisions of Massac disposal facility as defined by Massach	husetts General Law C40, S54, debris resulting for setts General Law C111, S150A	rm this work shall be disposed of in a p	roperly licensed solid waste		
The debris will be disposed of in:	(Location of Facili	ity)			
Signature of Permit Applicant		Date			
	ONTRACTOR LAW AFFIDAVIT				
construction of an addition to any p to atructures which are adjacent to requirements.	Permit Application nuction, alteration, renovation, repair, medern re-existing owner-occupied building contains such residence of building* be conducted by	ing at least one but not more than registered contractors, with certain e	four dwolling units or		
Address of Work		· · · · · · · · · · · · · · · · · · ·			
Owner Name:		Date of Permit Application:			
I hereby certify that: Registration is not	100				
	Job under \$1,000 Building	not owner-occupied Ov	ner obtaining own permit		
Other (specify) Notice is hereby given that:	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		
OWNERS OBTAINING THEIR OWN F	ermit or employing unregistered contitration program of Guaranty Fund (tractors for applicable hom under mglc. 142a.	e improvement work		
signed under penalties of perjury: I hereby apply for a permit as the agent	of the owner:	e			
Date	Contractor Signature	Reg	istration No.		
OR: Notwithstanding the above notice, I her	eby apply for a permit as the owner of the above	property:	· ·		
Date	Owner Signature		-		
	vers review comments and co	NOITIONS			
나를 프라마스 내는 그리네고 하고 있었다면 살아가면 되었다면 하는 것이 되었다.			Fee		
	co. al tarmit TCR al ami				
C. Building Permit Rejected 🔲 🔿	- provisions of MGL Chap	ter to B Sections 20-23			
Reason For Rejection: Under	pecial Permit For a Comp - provisions of MGL Chap	ter to B Sactions 20-23	Permit #		
Se	provisions of MGL Chap FATTACLIMENTS	ter to B Sactions 20-23	Permit #		
Reason For Rejection: Under Comments and Conditions:	an	ter to B Sactions 20-23	Permit #		
Se	an	ter to B Sactions 20-23	Permit #		
Se	*** ****	ter to B Sactions 20-23	Permit #		
Comments and Conditions: Signed A auuf	ATTAChments		Permit &		



City of New Bedford, Massachusetts

FOR BU	LOING DEPT. USE
DATE REC	ÉIVEO:
RECEIVED	
ISSUED BY	/ · · · · · · · · · / / / / / /
- 1	

(AT LOCATION)	Applicati an MPLETE ALL ITE TOS MONT (NO) DOTU STWEET)	9 LIBERTY	mination nit (ES WHERE APPLICA STREETS AND HILLMAN 1000	0
II. TYPE AND COST OF BUILDIN	Z YES □ NO	S Complete parts A t		
A TYPE OF IMPROVEMENT 1 New Building 2 Addition (If residential, enter numburities added, if any, in Part D, 14) 3 Atteration (if residential, enter numbousing units added, if any, in Part 4 Repair, replacement 5 Demokition (if multifamily residential units in building in Part D, 14, if no indicate most recent use checking 6 Moving (relocation) 7 Foundation only B. OWNERSHIP 8 Private (individual, corporation, nonprofit institution, etc.) 9 Public (Federal, State, or local government)	per of new housing liber of new (1 D, 14) lat, enter number of cn-residential, (1 D-18 - D-32)	D1 PROPOSED USE — Residential 13 One family 14 Two or more number of units 15 Transient hot dormstory — of units 16 Garage 17 Carport 18 Other — Sp D.2. Does this building of YES NO If	lamily — Enter nets	Nonresidential 19 Amusement, recreational 20 Church, other religious 21 Industrial 22 Parking garage 23 Service station, repair garage 24 Hospital, institutional 25 Office, bank, professional 26 Public utility 27 School, library, other educational 28 Stores, mercantile 29 Tanks, towers 30 Funeral homes 31 Food establishments 32 Other — Specify
C. COST 10. Cost of construction		State Dept. of Labor sample analysis after a D.3. Non-residential — D machine shop, launc parochial school, pa	& Industries and results of air asbestos removal is completed escribe in detail proposed use dry building at hospital, elemen rking garage for department st	of buildings, e.g., food processing plant, trans school, secondary school, college, fore, rental office building, office building ing changed, enter proposed use.
III. SELECTED CHARACTERISTIC PRINCIPAL TYPE OF FRAME 33 , Masonry (walt bearing) 34 Wood frame 35 Structural steel	G. TYPE OF SEWAGE	For all others, (addition DISPOSAL private company optic tank, etc.)	mplete part E through L. For de ons, alterations, repair, moving, J. DIMENSIONS 53 Number of stories 54 Height 55 Total square feet of floo all floors based on exte	
36 Reinforced concrete 37 Other — Specify PRINCIPAL TYPE OF HEATING FUEL 38 Gas 39 Oth 40 Electricity 41 Coal	45 Public or p	orivate company ell, cistern) CAL akter system? 48 NO all air conditioning? 50 No	56 Building length 57 Building width 58 Total sq. ft. of bldg. fool 59 Front lot line width 60 Rear lot line width 61 Depth of lot 62 Total sq. ft. of lot size 63 % of lot occupied by bi 64 Distance from lot line (fi 65 Distance from tot line (fi 66 Distance from tot line (fi	idg. (58+62)

K, FLOODPLAIN Is location within flood hazard area? yes no If yes, zone: _____ and base elevation L. WETLANDS PROTECTION Is location subject to flooding? ______ Is location part of a known wetland? MO

Has local conservation commission reviewed this site? NO

. IV. IDEN	TIFICATION – ALL APPLICANTS – P.	LEASE PRINT	
OWNER OR LESSEE NAME	MAILING ADDRESS	ZIP CODE	TELEPHONE NO.
NEW BEDFORD HOUSING	MOD OFFICE		508-997-
AUTHORITY 1	725 PLEASANT STREET		4852
	NOW BEDFORD, WA	02740	
CONTRACTOR NAME	MAILING ADDRESS	ZIP CODE	TELEPHONE NO.
	·		
ARCHITECT NAME	MAILING ADDRESS	ZIP CODE	TELEPHONE NO.
GNATURE OF OWNER	APPLICANT SIGNATURE		DATE /
Mull Jame	Clfille Sfell	lua	5/15/15

Omission of reference to any provision shall not nullify any

requirement of this code nor exempt any structure from such requirement.

The applicants understands and warrant that they will comply with all pertinent federal and state statutes, local ordinances and all federal, state, and local regulations, including those of the Architectural Barriers board, Department of Environmental Protection Agency and may be forwarded for review to all pertinent local city agencies which may express specific concerns. It is understood that the issuance of a permit shall not serve as an acceptance or acknowledgment of compliance nor exempt any structure from such requirement. The permit shall be a license to proceed with the work and shall not be construed as authority to violate, cancel, or set aside any of the provisions of the State Building Code or local code of ordinances, except as specifically stipulated by modification or legally granted variation in accordance with Section 122.0 of State Building Code or local code of ordinances.

I have read the above and sign under pain and penalty of perjury as to the truth of all of the information and statements contained in sections I through IV of this application.

T PLEASANT IT.

Applicant's Signature

Address

City

New BEDFORD



DEPARTMENT OF INSPECTIONAL SERVICES 133 WILLIAM STREET - ROOM 308 NEW BEDFORD, MA 02740

New Bedford Comprehensive Zoning Code Review Code of Ordinances – Chapter-9

123-131 Liberty Street

259-265 North Street

318-320 Tremont Street

290-296 Hillman Street

PLOT: 57 - LOT: 38- ZONED DISTRICT: Residential C

<u>Special Permit for a Comprehensive Permit under provisions</u> <u>of M.G.L. Chapter 40B Section 20-23</u>

Zoning Code Review as follows:

Special Permit

SECTIONS

2210 (General)

2700 (Dimensional Regulations)

2710 (General)

2720 (Table of Dimensional Requirements Appendix B)

Minimum lot size, Density of dwelling units, lot frontage, front yard,

Side yard, rear yard, and lot coverage by buildings.

2750 (Yards in Residence Districts)

2751 Front Yards

2753 Rear Yards

2755 Side Yards

3100 (Parking and Loading)

3110 (Applicability)

3130 (Table of Parking and Loading Requirement Appendix C)

3149 Special Permit for vehicular access to a building lot accessed from public way

that does not constitute frontage of the lot.

5300-5330 and 5360-5390 (Special Permit)

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

(Ord. of 12-23-03, § 1)

State law reference—Zoning districts generally, M.G.L.A. c. 40A, § 4.

2200. USE REGULATIONS.

2210. **General.** No structure shall be erected or used or land used except as set forth in Section 2230, **"Table of Use Regulations",** unless otherwise provided by this Ordinance or by statute. Uses not expressly provided for herein are prohibited. Not more than one principal structure shall be placed on a lot, except in accordance with Section 2330.

Symbols employed below shall mean the following:

- Y A permitted use.
- N An excluded or prohibited use.
- BA A use authorized under special permit from the Board of Appeals as provided under <u>Section</u> 5300.
- CC A use authorized under special permit from the City Council as provided under Section 5300.
- PB A use authorized under special permit from the Planning Board as provided under <u>Section</u> 5300.
- 2220. **Applicability.** When an activity might be classified under more than one of the following uses, the more specific classification shall govern; if equally specific, the more restrictive shall govern.
- 2230. Table of Use Regulations. See Appendix A.

(Ord. of 12-23-03, § 1)

2300. ACCESSORY BUILDINGS AND USES.

2310. **General.** Any use permitted as a principal use is also allowed as an accessory use, as are others customarily accessory and incidental to permitted principal uses. Accessory uses are permitted only in accordance with lawfully existing principal uses. An accessory use may not, in effect, convert a principal use to a use not permitted in the zoning district in which it is located. Where a principal use is permitted under special permit, its accessory use is also subject to the special permit. In all instances where site plan review and approval is required for a principal use, the addition of any new accessory use to the principal use, where such addition exceeds the thresholds established in <u>Section 5400</u>, shall also require site plan review and approval.

2320. Accessory Uses.

2321. Accessory Scientific Uses. Uses, whether or not on the same parcel as activities permitted as a matter of right, which are necessary in connection with scientific research or scientific development or related production, may be permitted upon the issuance of a special permit by the Board of Appeals, provided that the Board of Appeals finds that the proposed use does not substantially derogate from the public good.

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

- 2527. Parking generated by the home occupation shall be accommodated off-street, other than in a required front yard, and such parking shall not occupy more than thirty-five (35) percent of lot area.
- 2528. The use or storage of hazardous materials in quantities greater than associated with normal household use shall be subject to design requirements to protect against discharge to the environment.

(Ord. of 12-23-03, § 1)

State law reference—Existing structures, uses or permits, M.G.L.A. c. 40A, § 6.

2600. LOW-LEVEL RADIOACTIVE WASTE.

2610. Low-level Radioactive Waste or Nuclear Waste Facilities. No facility may be located within the City of New Bedford, the primary purpose or principal activity of which is the commercial collection, processing, reprocessing, storage, burial, incineration, disposal or brokerage of radioactive wastes, including but not limited to waste classified as, low-level radioactive waste.

(Ord. of 12-23-03, § 1)

2700. DIMENSIONAL REGULATIONS.

- 2710. **General.** No structure shall be erected or used, premises used, or lot changed in size or shape except in conformity with the requirements of this Section, unless exempted by this Ordinance or by statute.
 - 2711. Lot change. No existing conforming or nonconforming lot shall be changed in size or shape except through a public land taking or donation for road widening, drainage, utility improvements or except where otherwise permitted herein, so as to violate the provisions of this Ordinance with respect to the size of lots or yards or to create a nonconformity or increase the degree of nonconformity that presently exists.
 - 2712. Merger of lots. Adjacent lots held in common ownership on or after the effective date of this Section shall be treated as a single lot for zoning purposes so as to minimize nonconformities with the dimensional requirements of this Ordinance. Notwithstanding the previous sentence, adjacent lots in common ownership may be treated as separate lots for zoning purposes upon a finding by the zoning enforcement officer that the owner of said lots has expressly exhibited the intent to maintain the lots as separate. In making said finding the zoning enforcement officer shall rely on the following factors:
 - 2712.a. The existence and maintenance of walls or fences along the original lot lines;
 - 2712.b. The fact that the lots are separately assessed for tax purposes;
 - 2712.c. The placement of structures on the various lots.

The manner in which said lots were acquired or the fact that said lots were separately described on a deed shall not be considered by the zoning enforcement officer in making said finding.

2713. Recorded Lots. A lot or parcel of land having an area or frontage of lesser amounts than required in the following schedule of dimensional requirements may be considered as satisfying the area and frontage requirements of this Section provided such lot or parcel of land was shown on a

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

plan or described in a duly recorded deed or registered at the time of adoption of this Ordinance and did not at the time of adoptions of adjoin other land of the same owner available for use in connection with such lot or parcel.

(Ord. of 12-23-03, § 1)

2720. Table of Dimensional Requirements. See Appendix B.

(Ord. of 12-23-03, § 1)

2730. **Dimensional Variation.** The Board of Appeals may vary otherwise applicable dimensional requirements pertaining to frontage, lot area, building height and sidelines upon finding that owing to circumstances relating to the soil conditions, shape, or topography of such land or structures and especially affecting such land or structures but not affecting generally the zoning district in which it is located, a literal enforcement of the provisions of the ordinance or by-law would involve substantial hardship, financial or otherwise, to the petitioner or appellant, and that desirable relief may be granted without substantial detriment to the public good and without nullifying or substantially derogating from the intent or purpose of such ordinance or by-law.

(Ord. of 12-23-03, § 1)

2740. Vision Clearance on Corner Lots in Residence Districts. On a corner lot no fence, wall or structure more than three and one-half (3½) feet high above the plane of the established grades of the streets shall be erected on a front or side yard herein established which is included within the street lines of the intersecting streets and a straight line connecting said street lines at points which are twenty (20) feet distant from their point of intersection, measured along said street line, and no trees or hedges which will materially obstruct the view of a driver of a vehicle approaching the street intersection shall be placed or maintained within such area.

(Ord. of 12-23-03, § 1)

2750. Yards in Residence Districts.

2751. Front Yards. No story or part of any building except projecting eaves or uncovered steps shall be erected nearer to the street line of any street on which it fronts than the average alignment of the corresponding stories or parts of existing buildings within two hundred (200) feet on each side of the lot and within the same block and district. Where there is a building on one or both of the adjoining lots, the front yard for a building shall have a depth equal to the average of the front yard depths of the two (2) adjoining lots. A lot without a building shall be counted as having a front yard of the depth required by this Ordinance. If there are no existing buildings on the same side of the street, the average setback alignment of corresponding stories within two hundred (200) feet on each side of and directly opposite the lot shall govern. Nothing in this Ordinance shall require any story or part of a building to set back more than fifteen (15) feet from any street line. One street frontage of a corner lot shall be exempt from these provisions as provided in subsection 2752. The front yard of a lot shall remain clear of debris and junk.

2752. Where the alignment of a building is not controlled by subsection 2751, between every building and the line of the street upon which it fronts there shall be a front yard of a clear depth of fifteen (15) feet, except that on one side of a corner lot a yard of a clear depth of not less than ten (10) feet shall be provided, in which case this distance shall not be considered in determining the front yard depths on such street.

2753. Rear Yards. There shall be a rear yard on every lot and it shall be at least thirty (30) feet deep behind a dwelling, except that a ground story deck or porch, without a permanent roof, a patio, or a pool (including any projections therefrom) may extend to six (6) feet of a rear lot line. An unattached

APPENDIX B - TABLE OF DIMENSIONAL REGULATIONS

APPENDIX B
- TABLE OF DIMENSIONAL REGULATIONS

Section 2.02 DISTRICTS

REQUIREMENT	RA	RB	RC	RAA	MUB	PB	Α	IB	C	WI
Minimum Lot. Size (sq.ft.)	8,000	3-1000 (acrusts) Allovastimitas Naj 650 (acravos	8,9000 ieresse Albovedinisky 10,000 iop svoe Eindonesis	(000 Oil	Supporter nass allowerhit residinges A, Yoloobira Suo Emilloness dis Allo	 G	6			
			ji ji jiligi ranga more iz milly units		for 3 or note family Units					
Density of Dwelling Units per Lot	1 per 10,000 sq. ft.	1 per 10,0000 sq. ft. for single- family; 1 per 5,000 sq. feet for two-family	1 per 10,0000 sq. ft. for single-family; 1 per 5,000 sq. feet for two-family; 1 per 1,000 sq. feet for three or more family	1 per 16,000 sq. ft.	1 per 10,0000 sq. ft. for single-family; 1 per 5,000 sq. feet for two-family; 1 per 1,000 sq. feet for three or more family	A/A	N/A	N/A	N/A	N/A
Lot Frontage (ft.):	75	ABriotrases allevædin BA flootractives family	Afficialisms ellowedum (A) tolorion two telpally (50 for 8 demine	050	78-59), uses allowed in Firm of 120 (क. 3 or India remily, 013) efficientally, 013)	(a)		0		
Height of Buildings (ft.)	45 ft.; 60 for religious, educational, or institutional	45; 60 for religious, educational, or institutional buildings	3	35; 60 for religious, educational, or institutional	45 for single or two- family; 60 for three family, 100 ¹ for other allowed uses	75	1001	1001	1001	1001

New Bedford, Massachusetts, Code of Ordinances

APPENDIX B - TABLE OF DIMENSIONAL REGULATIONS

			10 for <u>1-2</u> story buildings; 20 feet for 3 or more stories		%
WI Z	10		10 for story buildi feet for more	50	20%
) J	25		75	ês .	20%
e 33	<u>25</u>	9	<u>25</u>	50	20%
ĕ	25	4	25	30	20%
PB	25	8	<u>25</u>		20%
MUB 72-Stoft uses Ellowed Particleree A or B-4 forthree or more lemity, 7 for other allowed uses	20 for uses allowed in residential district ¹ ; 0 for other allowed uses	Signiope sitte, 12-00 Higother for uses allowed in pastepital distance for other uses, Sion any site where adjective lock in a residential eistimy or used for residential	30 for uses allowed in residential district; for other uses, 10 for 1-2 story buildings; 20 feet for 3 or more stories	30 av on correntors for uses allowed in residential distoratio for other uses	35% for uses allowed in residential districts; 0 for other uses
RAA 2.5 Stockelligious cutanional, or institutional ibulidiuss	40,	ut ordine field	30	30) (100) Control	35%
RC	<u>20</u> 2	Romaneste (12. on the cities	30	90 40 on place a 40 or 5	35%
RB 2.5.3 a foi calignous equivational institutional	<u>20</u> ²	Riomone side.	30	Someonic States	35%
RA 25 STOTE Eligious educational institutional total	<u>20</u> ²	8 ontone side) 12 ontone other	30	630] (600) (600) (600)	35%
REQUIREMENT Height of Buildings (# stories):	Front Yard (ft.)	Side Vard (ft.)	Rear Yard (ft.)	Lot Coverage by Buildings (5)	Green Space

New Bedford, Massachusetts, Code of Ordinances

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

private garage may extend to four feet of a rear yard. A storage shed may extend to eighteen (18) inches of a rear yard unless a fence is erected on the property along the rear yard line. In such case the storage shed may extend to eighteen (18) inches of the fence or fence post whichever is closest. Unless referenced in this Code, nothing may be placed or constructed in or upon the ground within six (6) feet of a rear lot line. Notwithstanding the previous sentence, a fence may be constructed near or along a rear lot line and vegetation may also be planted within six (6) feet of a rear lot line.

2754. Where a lot is more than one hundred (100) feet deep, one-half (½) of the additional depth of the lot in excess of one hundred (100) feet shall be added to said rear yard depth; but in no case shall a rear yard depth in excess of forty (40) feet be required. The setbacks referenced in the previous section shall also apply to this Section.

2755. Side Yards. There shall be a side yard on every lot and it shall be at least ten (10) feet on one side and twelve (12) feet on the other side. The side yard shall be unobstructed from the line of the street to the rear lot line except that open porches, decks, steps, patios and pools (including any projections therefrom), which are located behind the dwelling within the rear yard, may extend to six (6) feet of a side lot line, driveways may extend to four (4) feet of a side lot line and storage sheds, which are located behind the dwelling within the rear yard may extend to eighteen (18) inches of a side yard unless a fence is erected on the property along the side yard line. In such case the storage shed may extend eighteen (18) inches of the fence or fence post whichever is closest. For all driveways, including those regulated under Section 2756, the area between a driveway and the side lot line shall be of a different material than the material used for the driveway and shall not be covered with an impervious surface or crushed stone.

Notwithstanding any provision to the contrary, any driveway existing prior to April 15, 2009, that is made of a material that creates an impervious surface, may be permitted for repair, resurfacing or reconstruction with substantially the same type of material provided that the dimensions of the driveway are not increased and the location of the driveway layout is not altered.

2756. Special Driveway Side Yard Requirements. For existing dwellings on lot sizes of less than five thousand (5,000) square feet, driveways shall not extend to the side lot line closer than ten (10) percent of the distance between the side lot line and the principle dwelling. For any driveway in excess of thirteen (13) feet in width, the provisions of Section 2755 regulating driveway setbacks shall apply and this section shall not apply.

(Ord. of 12-23-03, § 1; Ord. of 4-15-10, § 1; Ord. of 10-20-11, § 1; Ord. of 1-15-13, §§ 1, 2)

2760. Cornices and Belt Courses.

2761. A cornice shall not project more than one-third (1/3) of the width of a required open space.

2762. A belt course or other ornamental feature shall not project more than nine (9) inches into a required open space.

(Ord. of 12-23-03, § 1)

2770. Courts.

2771. If any part of a story of a nonresidence building is used for offices, studios or workshops which are not lighted from the street or the rear yard, there shall be a court starting not more than fifty (50) feet from the main exterior walls of that story.

2772. If any part of a story is used for living or sleeping rooms which are not lighted from the street or the rear yard, such court shall be required starting not more than two (2) rooms or thirty-five (35) feet from the main exterior walls of that story.

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

2773. An inner court shall be at least one-third (1/3) as wide as it is high, measured from the sills of the lowest windows served by it to the average level of the tops of the enclosing walls, and shall be at least twice as long as its required width or of an equivalent area, but no court shall be less than ten (10) feet in width.

2774. The minimum width of an outer court shall be double that required in this Section for an inner court.

2775. A cornice or belt course shall not project more than six (6) inches into any inner court.

(Ord. of 12-23-03, § 1)

2780. **Height of Buildings.** The provisions governing the height of buildings in Appendix B shall apply to chimneys, cooling towers, flagpoles, elevator bulkheads, skylights, ventilators, and other necessary appurtenant features usually carried above roofs; to domes, stacks or spires and also to wireless communications facilities.

(Ord. of 12-23-03, § 1)

SECTION 3000. GENERAL REGULATIONS.

3100. PARKING AND LOADING.

3200. SIGN REGULATIONS.

3200AA. SIGNS IN THE CENTRAL BUSINESS DISTRICT.

3300. SCREENING AND LANDSCAPING.

3400. STORAGE REGULATIONS.

3100. PARKING AND LOADING.

- 3110. **Applicability.** Every building erected, enlarged, converted, or relocated and each use or change of use of land shall be provided with off-street parking spaces and off-street loading spaces in accordance with Section 3130, Table of Parking Requirements.
 - 3111. In the event of the enlargement of a structure existing on the effective date of the ordinance from which this Section is derived, or the construction or relocation of additional structures on a lot, after such effective date, the regulations of this Section shall apply only to the enlargement, construction or relocation thereof, except that any off-street parking and off-street loading facilities established to serve any buildings and any uses prior to such effective date shall not be reduced below the required number.
 - 3112. For a building or premises used for combined purposes, the number of off-street parking spaces and off-street loading spaces shall be determined as the sum of the required number of spaces in each component of the combined use.
 - 3113. Where the computation of required parking spaces and loading spaces result in a fractional number, the required parking spaces shall be the next whole number.

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

(Ord. of 12-23-03, § 1)

- 3120. **Special Permit.** Any parking or loading requirement set forth herein may be reduced upon the issuance of a special permit by the Planning Board if the Board finds that the reduction is not inconsistent with public health and safety, or that the reduction promotes a public benefit. Such cases might include:
 - 3121. Use of a common parking lot for separate uses having peak demands occurring at different times;
 - 3122. Age or other characteristics of occupants of the facility requiring parking which reduces auto usage;
 - 3123. Peculiarities of the use which make usual measures of demand invalid;
 - 3124. Availability of on-street parking or parking at nearby municipally owned facilities.
 - 3125. Where a special permit is granted, a reserve area, to be maintained indefinitely as landscaped open space, may be required sufficient to accommodate the difference between the spaces otherwise required and the spaces reduced by special permit. The parking/site plan shall show (in dotted outline) how the reserve area would be laid out in to provide the otherwise required number of spaces.

(Ord. of 12-23-03, § 1)

3130. Table of Parking and Loading Requirements. See Appendix C.

(Ord. of 12-23-03, § 1)

- 3140. Location and Layout of Parking and Loading Facilities. Off-street parking and loading, for facilities other than single- or two-family residences, may be provided in structures or in the open air, and shall be subject to the following regulations pertaining to their layout and location:
 - 3141. Parking spaces shall be located on the same lot as the building or use where they are intended to serve, except that they may be provided on an adjoining lot in the same ownership.
 - 3142. Where the provisions of subsection 3141 cannot be satisfied and the parking lot contains five (5) or more required spaces, the required parking spaces may be located on a lot in the same ownership within two hundred (200) feet of the building or lot they are intended to serve.
 - 3143. Parking space for three (3) or fewer vehicles may be provided in the form of a driveway on a lot; the improved surface may be extended to one foot of the side line.
 - 3144. Where a drive or aisle, other than a street, is required to maneuver a vehicle into or out of a parking space, such drive or aisle shall be at least twenty-two (22) feet wide for parking spaces situated at right angles, or nearly right angles to the aisle. For parking spaces situated at an angle of thirty (30) to sixty (60) degrees to the aisle, the required width of the aisle shall be at least fifteen (15) feet
 - 3145. Open-air off-street parking facilities may be located in required front, rear and side yards, except that in a residential district, no open-air off-street parking space shall be located in front of the dwelling or principal building. Notwithstanding the previous sentence, in cases where a garage faces the frontage of the dwelling and is located beneath the dwelling, open-air off-street parking may be located in front of the dwelling in a residential district provided that the dwelling is set back a minimum of twenty (20) feet from the front property line and provided that said parking occurs only within the driveway, the width of which shall not exceed the lesser of the width of said garage or eighteen (18) feet. Any driveway in a residential district, requiring more than one curb cut, shall

CODE OF ORDINANCES

Chapter 9 - COMPREHENSIVE ZONING

APPENDIX C - TABLE OF PARKING AND LOADING REQUIREMENTS

USE .	PARKING REQUIREMENTS	LOADING REQUIREMENTS
One-family dwelling		One (1) loading space for each
Two-family dwelling	unit	
Multi-family (3) or more per structure		multifamily dwelling containing
mater family (5) of more per structure	unit	inore than ten (10) dwelling units,
	unic l	or more than twenty (20)
		housekeeping units
	Oue ((1)) abrice was each	Dite (it) being seem for each
व्यवस्थानस्थातः विव्यवस्थानस्य वर्षः विवासमञ्जूषावस्य ।	employae per dinar, vino	Dubling continuity was ethat AD 😹
เชียนที่เราะเบียนเล่า และเกรียกกละ เการเปลละ	বিলেন্ড লাঠাবেন্ডলিবিন্ডলা বিলেন্ড 🗥 🔻	Eulent rooms
indestation typical statemen	denises out (il) abore ball	
है। दुरेश सम्बद्ध विद्वार (१) है। इस है। इस है। इस है। इस है।	guari room, elvaling	
ACTORS .	Devision recently of the	
	applicable	
Offices: General, professional,	One (1) space per each 200	One (1) loading space for each
business, banks, medical clinics and	sq. ft. of gross floor area	building containing 10,000 sq. ft. or
laboratories, radio and television	but not less than two (2)	more of gross floor area. Two (2)
stations; office of non-profit	spaces for each business	loading spaces for 100,000 sq. ft. or
educational, cultural, or charitable		more of gross floor area
organizations	premises. After 10,000 sq.	lilore of gross floor area
organizacions	ft. of gross floor area, one	8.
	space for every 1,000 sq. ft.	
	of gross floor area	
Felse Good of Werlin, Genevicus	(Pro (Pr) ඉනුස්දේ හුත්, සේවුන්	Chie (1) to come space for each
្រែស្តីស្រួលប្រការ		outlefing
	सम्बद्धाः । त्रीतिक (है) अन्तर्वेद्धाः	
	Appelle (1) Peleter later (100)	
	age to of group to our weap	
	indibitis of antitude of the entry.	
<u> Prilitar anni atau da </u>	(XO) SURCES	
Businesses engaged in retail sale of	One (1) space per each 200	One loading space for each building
goods and services, not elsewhere	sq. ft. of gross floor area,	containing more than 5,000 and less
enumerated herein	but not less than two (2)	than 10,000 sq. ft. of gross floor
	spaces for each business use	area. Thereafter, one (1) additional
	intended to occupy the	loading space shall be required for
	premises. After 20,000 sq.	each additional 25,000 sq. ft. of
	ft. gross floor area, one	gross floor area
	space per 400 sq. ft.	[
Businesses engaged in retail sale,	One (1) space per each 400	1
rental, repair, servicing, storage and	sq. ft. of gross floor area,	
distribution of motor vehicles,	but not less than two (2)	
trailers, campers, boats, furniture or	spaces for each business use	
building materials	intended to occupy the	
	premises	
	1	
	1	1

USE	PARKING REQUIREMENTS	LOADING REQUIREMENTS
Hospital, convalescent homes, nursing		One (1) loading space for each
homes, rest homes or homes for the	beds, three (3) space Drop-	building containing 10,000 sq. ft. or
aged	Off Zone.	more of gross floor area. Two (2)
Places of assembly, including	One (1) space per five (5)	loading spaces for buildings
theaters, veterans, fraternal, social		containing 100,000 sq. ft. or more
and recreational clubs and	is designed or one (1) spaces	of gross floor area
organizations not operated for a	for each 200 sq. ft. of gross	
profit; facilities primarily for the	floor area whichever results	
education and instruction of persons sixteen (16) yrs. of age and older;	in the greatest number	
taxi, bus & railroad passenger		380 C
terminals; auditoriums, theaters,		
bowling alleys and dance halls; sports		
facilities; places of worship; funeral		
homes		E E
विवासी तर्वे अवस्था अनुसार हो है ।		
mentificationity pickersling, assembly.		अभारतालु द्वार्थकालाहर १७ १६० वर्ष है, व्य
adrigações al jerdebidia, incluébig		great flows since. Thereanter, one fill
रिक्षा हो। वर्षाती वरास्तरामध्य दिवस्ता स्टेशनीहरू देशही		her the wording aparts shall be 🦙
ଲିଗ୍ରୀ, ଦିବର Buginessed କ୍ରମ୍ୟୁଟ୍ୟଟ ମଧ୍ୟ ହେବ	हिल्ल क्रिक्सिलनस्य	स्मित्रामाञ्चक्री हेला सम्बद्धात इत्तारमध्यमञ्जा अद्भाविक
Manager History in the	Clack (till) Above Deli Delin 2000 Action	equality of operational department of
प्रशासकातामधानम् इत्तरी सीवरणवाणानाः वर्षे प्रवासिक	The controller (Botch Street 1961 No.	sam intern (ili) lee. Of short Thereon, or otterner to the outstag.
និក្សាន នៅការនៅការ ៤៩កែខ្លួនប៉ុស្មែក នៅប្រើប្រាស់។ និក្សាន នៅការនៅការ ខេត្តប្រើប្រាស់ពី នៅការ នៅប្រើប្រាស់ពី និក	gan je ige dage at i meterree inder Para 2- 1909 dage termana	rear a leasing or integring and
an encorrence of the construction of the const	ERICA COLLO SEL UT OR MOTORIO	
leminet lections for storing for		virticateve (15 viate 20 epices)
	act fly, blok one of space	
สองกลียเลงกาย ระบังเราละเรียง จะ อุนโอกส	જિલ્લાનું પ્રાથમિક કુલાઇક ઉત્ત	
ให้สาราชการคำอาก สาเปรียวสมาริการฝลากับสู่ 3		
actingment, grans, police uningelicis		
Exity riky arols	<u> </u>	
Schools, Adult Day Care Centers, Day	One (1) space for each	One (1) loading space for each
Care Centers, excluding family day	employee in addition to	building containing 10,000 sq. ft. or
care homes	three (3) space Drop-Off	more of gross floor area. Two (2)
ł .	Zone	loading spaces for buildings containing 100,000 sq. ft. or more
		of gross floor area
Group Homes	ପ୍ରିଲ୍ଫ (୮୯) ସହୟପ୍ର ଏହା ବ୍ୟାପ୍ତ ।	One (1) Reading space for each
	employee net since	and the consuming mode there
	ka wa sana sa	Evertor (20) guestinoons
Family Day Care Home, Large Family	One (1) space for each non-	N/A
Day Care Home	resident employee in	
ā.	addition to residential	
	parking requirement	
		Telefolis compress C. XII-SI YATITE FOUND TO

(Ord. of 12-23-03, § 1)

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

require Site Plan Approval. No driveway in a residential district shall exceed eighteen (18) feet in width.

3146. When five (5) or more parking spaces are required on a lot, the provisions of <u>Section 3300</u> shall apply. All spaces shall be laid out so that vehicles can enter or leave any parking space directly from a drive or aisle other than a street. Additionally, all spaces shall be laid out so the vehicles entering a street may do so facing the street.

3147. All parking spaces and loading areas or berths in the open-air and the access drives or aisles, shall be provided with a concrete or asphalt surface. Compacted gravel or stone shall be permitted only for single- or two-family residential dwellings.

3148. No off-street loading areas or berths shall be laid out in such a manner as will result in loading or unloading being carried on within a street right-of-way or other public property. Each area or berth shall be sufficient size as to accommodate the largest expected truck or tractor trailer common to the building use.

3149. Special Permit for Commercial Parking in Residential Districts. Commercial parking may be allowed on residentially zoned property, held in common ownership and located immediately adjacent to the commercial business to which it is to serve, upon the issuance of a special permit by the Zoning Board of Appeals, if the Board finds that said parking is not detrimental to public health and safety, and that said parking promotes a public benefit. A Special Permit for vehicular access to a building lot accessed from public way that does not constitute frontage of the lot. Upon the issuance of a special permit by the Zoning Board of Appeals, vehicular access may be allowed from a public way that does not constitute the legal frontage of the subject lot if said lot is residentially zoned, if the proposed vehicular access is for the purpose of accessing parking that is located beside or behind the dwelling or principal building, and if the Board finds that said vehicular access promotes a public benefit and is not detrimental to public health and safety. Notwithstanding Section 5240 of Chapter 9 of the Code of Ordinances or any other provision to the contrary, no fee of any kind shall be charged or imposed by the Special Permit Authority to the applicant of a Special Permit applied for under this Section.

(Ord. of 12-23-03, § 1; Ord. of 8-22-06, § 1)

3150. Size of Parking Space. A parking space shall be a rectangle at least nine (9) feet by twenty (20) feet exclusive of any required drive or aisle.

3151. The area of required off-street loading space is not to be included as off-street parking space in the computation of required off-street parking space.

(Ord. of 12-23-03, § 1)

3200. SIGN REGULATIONS.

3201. Purpose.

- (A) Signs constitute a separate and distinct use of the land upon which they are placed and affect the use of adjacent streets sidewalks and other public places and adjacent private places open to the public. The unregulated construction, placement and display of signs constitute a public nuisance detrimental to the health, safety, convenience and welfare of the residents of the City.
- (B) The purpose of <u>article 3200</u> is to establish reasonable and impartial regulations for all exterior signs and those interior signs designed to attract the attention of persons located outdoors in order to: reduce traffic hazards caused by such unregulated signs which may distract and confuse, and impair

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

5224. To hear and decide comprehensive permits for construction of low or moderate income housing by a public agency or limited dividend or nonprofit corporation, as set forth in M.G.L.A. c. 40B, §§ 20—23.

(Ord. of 12-23-03, § 1)

5230. Regulations. The Board of Appeals may adopt rules and regulations for the administration of its powers.

(Ord. of 12-23-03, § 1)

5240. **Fees.** The Board of Appeals may adopt reasonable administrative fees and technical review fees for petitions for variances, administrative appeals, and applications for comprehensive permits.

(Ord. of 12-23-03, § 1)

State law reference—Zoning board of appeals, M.G.L.A. c. 40A, § 14 et seq.

5300. SPECIAL PERMITS.

5310. **Special Permit Granting Authority.** The Zoning Board of Appeals, the Planning Board or the City Council shall act as the Special Permit Granting Authority under this Chapter as specifically designated in a particular Section or in accordance with the Specific Designations in the Table of Principal Use Regulations under Appendix A of this Chapter.

```
(Ord. of 12-23-03, § 1; Ord. of 12-8-05, § 1)
```

- 5320. **Criteria.** Special permits shall be granted by the special permit granting authority, unless otherwise specified herein, only upon its written determination that the benefit to the City and the neighborhood outweigh the adverse effects of the proposed use, taking into account the characteristics of the site and of the proposal in relation to that site. In addition to any specific factors that may be set forth in this Ordinance, the determination shall include consideration of each of the following:
 - 5321. Social, economic, or community needs which are served by the proposal;
 - 5322. Traffic flow and safety, including parking and loading;
 - 5323. Adequacy of utilities and other public services;
 - 5324. Neighborhood character and social structures;
 - 5325. Impacts on the natural environment; and
 - 5326. Potential fiscal impact, including impact on City services, tax base, and employment.

```
(Ord. of 12-23-03, § 1)
```

5330. **Procedures.** Applications for special permits shall be filed in accordance with the rules and regulations of the various special permit granting authorities, as may be applicable.

```
(Ord. of 12-23-03, § 1)
```

5340. Plans. An applicant for a special permit shall submit a plan in substantial conformance with the requirements of Section 5400, herein.

(Ord. of 12-23-03, § 1)

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

5350. **Development Impact Statement (DIS).** At the discretion of the special permit granting authority, the submittal of a development impact statement (DIS) may be required. The DIS shall be prepared by an interdisciplinary team including a Registered Landscape Architect or Architect, a Registered Professional or Civil Engineer, and a Registered Surveyor.

5351. Physical Environment.

- (a) Describe the general physical conditions of the site, including amounts and varieties of vegetation, general topography, unusual geologic, archeological, scenic and historical features or structures, location of significant viewpoints, stone walls, trees over sixteen (16) inches in diameter, trails and open space links, and indigenous wildlife.
- (b) Describe how the project will affect these conditions, providing a complete physical description of the project and its relationship to the immediate surrounding area.

5352. Surface Water and Subsurface Conditions.

- (a) Describe location, extent, and type of existing water and wetlands, including existing surface drainage characteristics, both within and adjacent to the site.
- (b) Describe any proposed alterations of shore lines, marshes, or seasonal wet areas.
- (c) Describe any limitations imposed on the project by the site's soil and water conditions.
- (d) Describe the impact upon ground and surface water quality and recharge, including estimated phosphate and nitrate loading on groundwater and surface water from septic tanks, lawn fertilizer, and other activities within the site.

5353. Circulation Systems.

Project the number of motor vehicles to enter depart the site per average day and peak hour. Also state the number of motor vehicles to use streets adjacent to the site per average day and peak hour. Such data shall be sufficient to enable the special permit granting authority to evaluate (i) existing traffic on streets adjacent to or approaching the site, (ii) traffic generated or resulting from the site, and (iii) the impact of such additional traffic on all ways within and providing access to the site. Actual study results, a description of the study methodology, and the name, address, and telephone number of the person responsible for implementing the study, shall be attached to the DIS.

5354. Support Systems.

- (a) Water Distribution: Discuss the types of wells or water system proposed for the site, means of providing water for firefighting, and any problems unique to the site.
- (b) Sewage Disposal: Discuss the type of on-site or sewer system to be used, suitability of soils, procedures and results of percolation tests, and evaluate impact of disposal methods on surface and groundwater.
- (c) Refuse Disposal: Discuss the location and type of facilities, the impact on existing City refuse disposal capacity, hazardous materials requiring special precautions.
- (d) Fire Protection: Discuss the type, location, and capacity of fuel storage facilities or other flammables, distance to fire station, and adequacy of existing firefighting equipment to confront potential fires on the proposed site.
- (e) Recreation: Discuss the distance to and type of public facilities to be used by residents of the proposed site, and the type of private recreation facilities to be provided on the site.

SECTION 1000. PURPOSE, AUTHORITY, AND DEFINITIONS.

(f) Schools: Project the increase to the student population for nursery, elementary, junior high school, and high school levels, also indicating present enrollment in the nearest public schools serving these categories of students.

5355. Phasing. Where development of the site will be phased over more than one year, indicate the following:

- (a) Describe the methods to be used during construction to control erosion and sedimentation through use of sediment basins, mulching, matting, temporary vegetation, or covering of soil stockpiles. Describe the approximate size and location of portion of the parcel to be cleared at any given time and length of time of exposure.
- (b) Describe the phased construction, if any, of any required public improvements, and how such improvements are to be integrated into site development.

```
(Ord. of 12-23-03, § 1)
```

5360. **Conditions.** Special permits may be granted with such reasonable conditions, safeguards, or limitations on time or use, including performance guarantees, as the special permit granting authority may deem necessary to serve the purposes of this Ordinance.

```
(Ord. of 12-23-03, § 1)
```

5370. **Lapse.** Special permits shall lapse if a substantial use thereof or construction thereunder has not begun, except for good cause, within twelve (12) months following the filing of the special permit approval (plus such time required to pursue or await the determination of an appeal referred to in M.G.L.A. c. 40A, § 17, from the grant thereof) with the City Clerk.

```
(Ord. of 12-23-03, § 1)
```

5380. Regulations. The special permit granting authority may adopt rules and regulations for the administration of this Section.

```
(Ord. of 12-23-03, § 1)
```

5390. **Fees.** The special permit granting authority may adopt reasonable administrative fees and technical review fees for applications for special permits.

```
(Ord. of 12-23-03, § 1)
```

State law reference—Special permits, M.G.L.A. c. 40A, § 9.

5400. SITE PLAN REVIEW.

5410. **Purpose.** The purpose of this Section is to provide for individual detailed review of development proposals which have an impact on the natural or built environment of the City in order to promote the health, safety and general welfare of the community; to ensure adequate parking, safe and accessible pedestrian and vehicular circulation; and to minimize traffic impact on City streets.

```
(Ord. of 12-23-03, § 1)
```

5420. Applicability. The following types of activities and uses require site plan review by the Planning Board:

Location: 290 296 HILLMAN ST Parcel ID: 57 38 Zoning: RC Fiscal Year: 2015 Card #: 4

Current Sales Information:

Current Owner Information:

N B HOUSING AUTHORITY

WESTWOOD

134 SO SECOND ST

Building Value:

65900

Sale Price: \$0.00

Sale Date:

Legal Reference:

This Parcel has 4 cards:

Total Value:

65900

-1-2-3-4-

NEW BEDFORD, MA 02740

Grantor:

Land Value:

0

This Parcel contains 0.000 acres of land mainly classified for assessment purposes as HSNG AUTHTY with a(n) Six plus Family style building, built about 1950, having Brd-Bat/Wd S exterior, Asphalt Shingles roof cover and 2556 Square Feet, with 8 unit(s), 8 total room(s), 8 total bedroom(s) 8 total bath(s), 0 3/4 baths, and 0 total half bath(s).

0

Yard Items Value:

7 19 CPF 19 CPF 7 (ver) 63	77 0 0 FF 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
Fiscal Year 2015		Fiscal Year 2014		Fiscal Year 2013	
Tax Rate Res.:	15.73	Tax Rate Res.:	15.16	Tax Rate Res.:	14.33
Tax Rate Com.:	33.56	Tax Rate Com.:	31.08	Tax Rate Com.:	29.54
Property Code:	970	Property Code:	970	Property Code:	970
Total Bldg Value:	271900	Total Bldg Value:	278000	Total Bldg Value:	281700
Total Yard Value:	0	Total Yard Value:	0	Total Yard Value:	0
Total Land Value:	179900	Total Land Value:	174900	Total Land Value:	198800
Total Value:	451800	Total Value:	452900	Total Value:	480500
Тах:	Exempt	Tax:	Exempt	Тах:	Exempt

Disclaimer: Classification is not an indication of uses allowed under city zoning. This information is believed to be correct but is subject to change and is not warranteed.

Location: 318 320 TREMONT ST

Parcel ID: 57 38

Zoning: RC Fiscal Year: 2015

Card #: 3

Current Sales Information:

Current Owner Information:

N B HOUSING AUTHORITY

WESTWOOD

134 SO SECOND ST

Building Value:

65900

Sale Price:

Legal Reference:

Sale Date:

\$0.00

This Parcel has 4 cards:

-1-2-3-4-

Total Value:

NEW BEDFORD, MA 02740

Grantor:

Land Value:

0

This Parcel contains 0.000 acres of land mainly classified for assessment purposes as HSNG AUTHTY with a(n) Six plus Family style building, built about 1950, having Brd-Bat/Wd S exterior, Asphalt Shingles roof cover and 2556 Square Feet, with 8 unit(s), 8 total room(s), 8 total bedroom(s) 8 total bath(s), 0 3/4 baths, and 0 total half bath(s).

Yard Items Value:


0777 (10) 7 10 as	17 COP				が出場に
Fiscal Year 2015		Fiscal Year 2014		Fiscal Year 2013	
Tax Rate Res.:	15.73	Tax Rate Res.:	15.16	Tax Rate Res.:	14.33
Tax Rate Com.:	33.56	Tax Rate Com.:	31.08	Tax Rate Com.:	29.54
Property Code:	970	Property Code:	970	Property Code:	970
Total Bldg Value:	271900	Total Bldg Value:	278000	Total Bldg Value:	281700
Total Yard Value:	0	Total Yard Value:	0	Total Yard Value:	0
Total Land Value:	179900	Total Land Value:	174900	Total Land Value:	198800
Total Value:	451800	Total Value:	452900	Total Value:	480500
Tax:	Exempt	Tax:	Exempt	Тах:	Exempt
		ON 2007 - 30	20 200 B	120 120	

Disclaimer: Classification is not an indication of uses allowed under city zoning. This information is believed to be correct but is subject to change and is not warranteed.

Location: 123 131 LIBERTY ST	Parcel ID: 5738	Zoning: RC	Fiscal Year: 2015	Card #: 1
	Current Sales In Sale Date:	formation:		
Current Owner Information: N B HOUSING AUTHORITY	12/31/1989 Sale Price:			
WESTWOOD 134 SO SECOND ST	\$0.00 Legal Reference	:	This Parcel has - 1 - 2 - 3 - 4 -	4 cards :
NEW BEDFORD , MA 02740	1156-190 Grantor:			

This Parcel contains 0.989 acres of land mainly classified for assessment purposes as HSNG AUTHTY with a(n) Six plus Family style building, built about 1950, having Brd-Bat/Wd S exterior, Asphalt Shingles roof cover and 2790 Square Feet, with 8 unit(s), 8 total room(s), 8 total bedroom(s) 8 total bath(s), 0 3/4 baths, and 0 total half bath(s).

N/A



Disclaimer: Classification is not an indication of uses allowed under city zoning.

This information is believed to be correct but is subject to change and is not warranteed.

Location: 259 265 NORTH ST

Parcel ID: 57 38

Zoning: RC

Fiscal Year: 2015

Card #: 2

Current Sales Information:

Current Owner Information:

N B HOUSING AUTHORITY

WESTWOOD

134 SO SECOND ST

Sale Price:

\$0.00

Sale Date:

This Parcel has 4 cards:

-1-2-3-4-

Legal Reference:

NEW BEDFORD, MA 02740

Grantor:

This Parcel contains 0.000 acres of land mainly classified for assessment purposes as HSNG AUTHTY with a(n) Six plus Family style building, built about 1950, having Brd-Bat/Wd S exterior, Asphalt Shingles roof cover and 2862 Square Feet, with 8 unit(s), 8 total room(s), 8 total bedroom(s) 8 total bath(s), 0 3/4 baths, and 0 total half bath(s).

Building Value:	Land Value:	Yard Items Value:	Total Value:
69900	0	0	69900
OFP 14 14 14 15 17 17 17 17 17 17 17 17 17 17 17 17 17	GIP (US)		
Fiscal Year 2015	Fiscal Ye	ar 2014	Fiscal Year 2013

Fiscal Year 2015		Fiscal Year 2014		Fiscal Year 2013	
Tax Rate Res.:	15.73	Tax Rate Res.:	15.16	Tax Rate Res.:	14.33
Tax Rate Com.:	33.56	Tax Rate Com.:	31.08	Tax Rate Com.:	29.54
Property Code:	970	Property Code:	970	Property Code:	970
Total Bldg Value:	271900	Total Bldg Value:	278000	Total Bldg Value:	281700
Total Yard Value:	0	Total Yard Value:	0	Total Yard Value:	0
Total Land Value:	179900	Total Land Value:	174900	Total Land Value:	198800
Total Value:	451800	Total Value:	452900	Total Value:	480500
Tax:	Exempt	Tax:	Exempt	Tax:	Exempt

Disclaimer: Classification is not an indication of uses allowed under city zoning. This information is believed to be correct but is subject to change and is not warranteed.

REPORT
FOR
ASBESTOS CONTAINING MATERIALS
IDENTIFICATION SURVEY AND TESTING
AT THE
WESTWOOD ELDERLY HOUSING
NEW BEDFORD, MASSACHUSETTS

PROJECT NO: 214 200.00

SURVEY DATES: July 7-8, 2014

SURVEY CONDUCTED BY:

UNIVERSAL ENVIRONMENTAL CONSULTANTS 12 BREWSTER ROAD FRAMINGHAM, MA 01702